

IN THE CLAIMS:

Claims 1 and 12-17 have been amended herein. Claim 8 has been cancelled. Please note that all claims currently pending and under consideration in the referenced application are shown below. Please enter these claims as amended. This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently Amended) A method of creating photographic and text images in an electrophotographic image-forming device, comprising:
providing a set of color toners, said set comprising a toner having high cyan pigment load, a toner having a high magenta pigment load, and a toner having a high yellow pigment load;
providing a black toner having black pigment;
providing a first set of image output terminal settings to deliver a partial amount of color toners to a target media and to increase the speed of a fuser roller in an electrophotographic image-forming device; and
providing a second set of image output terminal settings to deliver a complete amount of color toners to said target media.
2. (Original) The method of claim 1, wherein said set of color toners further comprises one or more toners each having a high pigment load selected from the group consisting of red pigment, blue pigment, or green pigment.
3. (Original) The method of claim 1, wherein said set of color toners have a pigment load of greater than 20 weight percent.
4. (Original) The method of claim 1, wherein said set of color toners have a pigment load of from about 24 weight percent to about 30 weight percent.

5. (Original) The method of claim 1, wherein providing a set of color toners comprises respectively adding cyan, magenta, and yellow pigments to cyan, magenta, and yellow toners.
6. (Original) The method of claim 5, wherein sufficient amounts of cyan, magenta, and yellow pigments are added to said set of color toners to increase the pigment loading for each said color toner by about 1 to about 200 percent.
7. (Original) The method of claim 5, wherein sufficient amounts of cyan, magenta, and yellow pigments are added to said set of color toners to increase the pigment loading for each said color toner by from about 100 to about 200 percent.
8. (Cancelled).
9. (Original) The method of claim 1, further comprising transferring at least one said color toner to said target media.
10. (Original) The method of claim 9, further comprising transferring said black toner to said target media.
11. (Original) The method of claim 1, wherein said target media comprises paper.
12. (Currently Amended) ~~A set of color toners for use in a~~ An electrophotographic image-forming device comprising:
a cyan toner having high cyan pigment load;
a magenta toner having a high magenta pigment load; ~~and~~
a yellow toner having a high yellow pigment load; and
an image output terminal having a first setting to deliver a partial amount of color toners to a target media and to increase the speed of a fuser roller in an electrophotographic image-forming device, and having a second setting to deliver complete amount of color toners to said target media.

13. (Currently Amended) The ~~toner set~~ device of claim 12, further comprising one or more toners each having a high pigment load selected from the group consisting of red pigment, blue pigment, or green pigment.
14. (Currently Amended) The ~~toner set~~ device of claim 12, wherein each of said cyan, magenta, and yellow toners have a pigment load of greater than 20 weight percent.
15. (Currently Amended) The ~~toner set~~ device of claim 12, wherein each of said cyan, magenta, and yellow toners have a pigment load of from about 40 weight percent to about 60 weight percent.
16. (Currently Amended) The ~~toner set~~ device of claim 12, further comprising a black toner having a black pigment.
17. (Currently Amended) An electrophotographic image-forming device comprising:
a set of color toners having high pigment loads;
a black toner having a black pigment; and
an image output terminal having a first setting to deliver a partial amount of color toners to a target media and to increase the speed of a fuser roller in an electrophotographic image-forming device, and having a second setting to deliver complete amount of color toners to said target media.
18. (Original) The device of claim 17, wherein said pigment is selected from the group consisting of cyan, magenta, yellow, or mixtures thereof.
19. (Original) The device of claim 17, wherein said pigment is selected from the group consisting of red, blue, or green.
20. (Original) The toner set of claim 17, wherein said color toner set has a pigment load of greater than 20 weight percent.

21. (Original) The toner set of claim 17, wherein said color toner set has a pigment load of from about 24 weight percent to about 30 weight percent.